

## SVS SB-2000PRO Piano Gloss Black Aktivni vufer

Šifra: 13971  
Kategorija proizvoda: Hi-Fi Subwooferi  
Proizvođač: SVS

Cena: **149.880,00** rsd

Room-filling output and low frequency extension below 20 Hz with audiophile refinement and musicality, SB-2000 Pro brings reference subwoofer performance to more people than ever from a compact cabinet measuring only 15-inches on all sides. Features all-new 12-inch high-excursion SVS driver and 550 watts RMS, 1,500+ watts peak power Sledge STA-550D amplifier with fully discrete MOSFET output. Harnessing the massive power while ensuring unerring control and room-energizing bass response is a 50 MHz Analog Devices Audio DSP. SB-2000 Pro also features the SVS subwoofer smartphone app for convenient control of volume, DSP functions, custom presets and more.

### Quick Specs

Driver | 12"

Amplifier | 550 watts RMS (1500 watts peak)

Freq. Response | 19-240 Hz  $\pm$ 3 dB

Dimensions | 14.6" (H) 14.2" (W) 15.6" (D)

[View Full Tech Specs](#)

[SB-2000 Pro Subwoofer Owner's Manual](#)

[SB-2000 Pro Subwoofer Quick Start Guide](#)

[Contact Us - SVS Sound Experts Customer Support](#)

Ohio-based AV professionals provide customer support, product recommendations and set-up advice for every component in your system, 7 days a week, before and after you own SVS.

Reference Subwoofer Performance Hits New Lows. Again.

2000 Pro models replace the most popular SVS subwoofers of all time, and since we don't believe in anything less than a complete reimagining, they represent a massive performance upgrade over the original 2000 Series in every way. Jaw-dropping deep bass extension and massive output with stunning musicality that will delight both audiophiles and home theater fans. Reference subwoofer performance has never been available near this price from a cabinet of this size, ever.

A sophisticated 550 watts RMS, 1,500+ watts peak power Sledge STA-550D DSP amplifier, innovative new 12-inch high-excursion SVS driver, and optimized sealed cabinet design take control of a space with deeper bass and more room-filling output than what is typically possible from a subwoofer with such compact dimensions.

SB-2000 Pro features convenient control and custom presets via the SVS subwoofer DSP smartphone app for Apple, Android and Amazon devices ®. The SVS app is the most convenient way to control volume, access multiple DSP functions and program custom presets for music, movies, gaming, and more. An ideal solution for reference bass in audiophile music systems or home theater surround sound systems, the SB-2000 Pro sets all performance benchmarks in its price range while outperforming much larger subwoofers.

Breathtaking Output and Deep Bass Extension with Pinpoint Control and Accuracy.

Featuring technology from the flagship SVS 16-Ultra Series, winners of nearly every industry and media award as the top subwoofers worldwide, the SB-2000 Pro unleashes breathtaking output and extension without ever sacrificing driver control or accuracy in frequency response. The sealed cabinet design combines the most sophisticated SVS subwoofer technology ever developed with trailblazing innovations to set a new standard for subwoofer performance based on price and cabinet size.

All New 12-inch High-Excursion SVS Driver – Heart-Pounding Bass with Subtlety and Finesse

Completely redesigned 12-inch SVS driver delivers massive low frequency output with unerring accuracy and transient speed. An aluminum vented cone with exceptional stiffness to mass ratio and a proprietary injection molded extreme-excursion surround ensure flawless pistonic motion for pinpoint control and accuracy.

Dual ferrite magnet motor assembly weighing over 15 lbs generates massive amounts of magnetics to produce extreme driver excursion without losing control. Effortlessly achieves extension below 20 Hz without distortion.

Lightweight and rigid aluminum vented cone with composite fiber dustcap creates room-energizing SPLs while maintaining control even at the highest drive levels.

Long-throw parabolic surround using proprietary injection molding allows extreme excursion for bass you can feel while preserving drive unit longevity.

Aluminum pole piece extension improves thermal management properties for exceptional heat dissipation.

Dual layer voice coil design maximizes linearity and accuracy at full excursion while minimizing distortion and power compression.

Sledge STA-550D Amplifier – Effortless Power and Absolute Command.

## Subwoofer Specs:

Premium Black Ash and Piano Gloss Black finish options

Protective non-resonant extra-thick ABS fabric mesh grille

Front-firing 12-inch high-excursion SVS driver

Rear-mounted amplifier with Intelligent Control Interface (ICI)

Iso-elastomer feet

Robust Medium Density Fiberboard (MDF) cabinet construction

Dimensions (w/ grille): 14.6" (372mm) H X 14.2" (360mm) W X 15.6" (395mm) D

Dimensions (without grille): 14.6" (372mm) H X 14.2" (360mm) W X 14.6" (371mm) D

Shipped Dimensions: 20" (508mm) H X 18.8" (502mm) W X 22.5" (571mm) D

Weight (unboxed): 38.6lbs (17.5kg) with Grill

Shipped Weight: 47.2lbs (21.4kg)

## Driver Specs:

All-new proprietary 12-inch high-excursion SVS 2000 Pro subwoofer driver with overhung motor

Dual layer high purity copper voice coil provides maximum magnetics at extreme excursion while reducing mass and improving driver efficiency. Built around a premium grade 2" polyimide impregnated fiberglass former for maximum thermal conductivity.

Two massive, dedicated toroidal ferrite magnets generate unparalleled levels of magnetic force to drive the highest levels of excursion, SPL, and start/go power for the deepest and most authoritative bass possible.

New premium powder coated basket, FEA optimized for maximum rigidity, tensile strength, and energy transference.

All new 12-inch 1050 aluminum vented cone ensures a light, ridged, and neutral radiating surface.

Precision machined motor elements and narrow tolerance suspension parts produce unmatched linearity at full excursion for exceptionally tight and fast output, even at reference volumes.

Extreme oversized low carbon vented 1008 steel U-yoke and top plate provide superior cooling and improved magnetics for maximum performance and efficiency.

Aluminum shorting sleeve reduces gap induction and distortion, enhances thermal conductivity, and improve magnetic linearity.

Dual balanced 24-strand silver plated Litz wire high temperature leads woven through the Nomex composite spider provide a pristine electrical connection from the amplifier to the voice coil.

Nickle-plated high-tension spring terminals.

Proprietary injection molded gasket and extreme-excursion surround maintains ideal piston motion for pinpoint accuracy and control.

## SVS Sledge-550D Amplifier Specs:

Massively powerful Sledge 550-watt RMS Class-D design with 1,500+ watts of Peak Power

High efficiency cool-running Class-D switching topology with massive 25 Amp 600 Volt MOSFET's result in lower EMI and highest efficiency while providing effortless power to produce SPLs and low frequency output with pristine clarity well beyond reference

listening levels.

High resolution 50Mhz Analog Devices Audio DSP with double precision 56bit filtering is most advanced subwoofer processor available in a home subwoofer.

Unmatched intelligence from user adjustable low pass, phase, polarity and room gain compensation with three parametric EQs for absolute best alignment with speakers and optimized performance in any room.

Groundbreaking SVS Bluetooth DSP control app for iOS and Android devices with three user presets allow custom tuning for every room and system.

RCA stereo input/output with ultra-wide input voltage for consumer and professional audio applications.

All new rear panel Intelligent Control Interface (ICI) user interface with push-button controls.

USB output for service and powering accessories like the SVS SoundPath Wireless Audio Adapter for wireless subwoofer placement.

Auto/On and 3-12V AC/DC trigger for Maximum Installation Convenience.

Input impedance 16kohm (unbalanced RCA).

Green 0.5-watt low standby power consumption.

RoHS compliant, lead-free construction, world-wide safety certifications.

## **SVS App Specs:**

Bluetooth controlled subwoofer DSP smartphone app works with iOS, Android and Amazon operating systems.

Easiest and most convenient way to adjust crossover frequencies, parametric EQ, polarity, room gain and all other bass management functions.

Three convenient custom presets allow for perfect tuning in any room or system, from your favorite seat.

Unique bidirectional feedback shows adjustments in real time on both app and subwoofer interface.

Easy-to-follow tutorial provides clear guidance for all functions.

## **Accessories:**

Protective non-resonant extra-thick ABS fabric mesh grill

Iso-elastomer feet included

Extra heavy-duty, high current 6-foot power cord  
Quick Start Guide