

logo not found or type unknown

Firma: Player Plus doo  
Adresa: Svetogorska 9  
Telefon: +381 11 3347 442  
Fax: +381 11 3347 615  
PIB: 106966344  
E-mail: porudzbine@player.rs

SVS SB-2000PRO Piano Gloss White Aktivni vufer

## SVS SB-2000PRO Piano Gloss White Aktivni vufer

Šifra: 13908  
Kategorija proizvoda: Hi-Fi Subwooferi  
Proizvođač: SVS

Cena: **149.880,00** rsd

**550 Watts RMS and 1,500+ Watts Peak Power Sledge STA-550D Amplifier** combines massive high current output of discrete MOSFETs with Class D efficiency. Boasting vanishingly low distortion, the unique design unleashes nearly limitless on-demand power while maintaining precise driver control.

**High-Excursion 12-inch SVS Subwoofer Driver** features dual ferrite magnet motor assembly with long-throw parabolic surround for extreme excursion that delivers massive output with finesse and accuracy, even at the most intense listening levels.

**A 50MHz Analog Devices Audio DSP** renders pinpoint accurate frequency response through advanced in-room tuning and powerful controls, while letting the subwoofer take control of a space with room-filling bass.

**Groundbreaking SVS Subwoofer DSP Smartphone App** is the easiest way ever to control volume, manage custom presets and fine tune performance in your system.

### Subwoofer Specs:

Premium Black Ash and Piano Gloss Black finish options  
Protective non-resonant extra-thick ABS fabric mesh grille  
Front-firing 12-inch high-excursion SVS driver  
Rear-mounted amplifier with Intelligent Control Interface (ICI)  
Iso-elastomer feet  
Robust Medium Density Fiberboard (MDF) cabinet construction

Dimensions (w/ grille): 14.6" (372mm) H X 14.2" (360mm) W X 15.6" (395mm) D

Dimensions (without grille): 14.6" (372mm) H X 14.2" (360mm) W X 14.6" (371mm) D

Shipped Dimensions: 20" (508mm) H X 18.8" (502mm) W X 22.5" (571mm) D

Weight (unboxed): 38.6lbs (17.5kg) with Grill

Shipped Weight: 47.2lbs (21.4kg)

## Driver Specs:

All-new proprietary 12-inch high-excursion SVS 2000 Pro subwoofer driver with overhung motor

Dual layer high purity copper voice coil provides maximum magnetics at extreme excursion while reducing mass and improving driver efficiency. Built around a premium grade 2" polyimide impregnated fiberglass former for maximum thermal conductivity.

Two massive, dedicated toroidal ferrite magnets generate unparalleled levels of magnetic force to drive the highest levels of excursion, SPL, and start/go power for the deepest and most authoritative bass possible.

New premium powder coated basket, FEA optimized for maximum rigidity, tensile strength, and energy transference.

All new 12-inch 1050 aluminum vented cone ensures a light, ridged, and neutral radiating surface.

Precision machined motor elements and narrow tolerance suspension parts produce unmatched linearity at full excursion for exceptionally tight and fast output, even at reference volumes.

Extreme oversized low carbon vented 1008 steel U-yoke and top plate provide superior cooling and improved magnetics for maximum performance and efficiency.

Aluminum shorting sleeve reduces gap induction and distortion, enhances thermal conductivity, and improve magnetic linearity.

Dual balanced 24-strand silver plated Litz wire high temperature leads woven through the Nomex composite spider provide a pristine electrical connection from the amplifier to the voice coil.

Nickle-plated high-tension spring terminals.

Proprietary injection molded gasket and extreme-excursion surround maintains ideal piston motion for pinpoint accuracy and control.

## SVS Sledge-550D Amplifier Specs:

Massively powerful Sledge 550-watt RMS Class-D design with 1,500+ watts of Peak Power

High efficiency cool-running Class-D switching topology with massive 25 Amp 600 Volt MOSFET's result in lower EMI and highest efficiency while providing effortless power to produce SPLs and low frequency output with pristine clarity well beyond reference listening levels.

High resolution 50Mhz Analog Devices Audio DSP with

double precision 56bit filtering is most advanced subwoofer processor available in a home subwoofer.

Unmatched intelligence from user adjustable low pass, phase, polarity and room gain compensation with three parametric EQs for absolute best alignment with speakers and optimized performance in any room.

Groundbreaking SVS Bluetooth DSP control app for iOS and Android devices with three user presets allow custom tuning for every room and system.

RCA stereo input/output with ultra-wide input voltage for consumer and professional audio applications.

All new rear panel Intelligent Control Interface (ICI) user interface with push-button controls.

USB output for service and powering accessories like the SVS SoundPath Wireless Audio Adapter for wireless subwoofer placement.

Auto/On and 3-12V AC/DC trigger for Maximum Installation Convenience.

Input impedance 16kohm (unbalanced RCA).

Green 0.5-watt low standby power consumption.

RoHS compliant, lead-free construction, world-wide safety certifications.

## **SVS App Specs:**

Bluetooth controlled subwoofer DSP smartphone app works with iOS, Android and Amazon operating systems.

Easiest and most convenient way to adjust crossover frequencies, parametric EQ, polarity, room gain and all other bass management functions.

Three convenient custom presets allow for perfect tuning in any room or system, from your favorite seat.

Unique bidirectional feedback shows adjustments in real time on both app and subwoofer interface.

Easy-to-follow tutorial provides clear guidance for all functions.

## **Accessories:**

Protective non-resonant extra-thick ABS fabric mesh grill

Iso-elastomer feet included

Extra heavy-duty, high current 6-foot power cord

