logoe not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

MARTIN AUDIO SX112B - Pasivni vufer

Šifra: 13925

Kategorija prozivoda: Pasivni Subwooferi

Proizvođač: Martin Audio

Cena: 107,880,00 rsd

Live Music Clubs and Bars Nightclubs Bars and Restaurants Museums and AV Spaces Convention Centres Hotels Retail Outlets Leisure Centres

Houses of Worship

MARTHN AUDIO SX1112Bw Pasivni vufer

Features

Ultra-Compact, single driver, direct radiating subwoofer

12" (300mm) driver with 3" (75mm) voice coil

Water resistant cone

Large ports for reduced air noise

Perforated steel grille

Black or white standard colour options

Integrated flying points

Applications

With a response of 48Hz-150Hz \pm 3dB, the ultra-compact size of the SX112 makes it an ideal partner for ADORN or CDD Series systems where space is at a premium or where the subwoofers need to be hidden. The enclosure is constructed from plywood and has an impact-resistant finish, while the driver is protected by a rigid perforated steel grille, which is pre-curved to withstand physical damage.

Finished in black (RAL9005) or white (RAL9016) as standard with integrated flying points, the SX112 can be also be supplied in any RAL colour to order.

When used with full-range systems, crossover and EQ functions can either be performed by the DX0.5 or DX4.0 system controllers.

TYPE Compact, single driver, direct radiating subwoofer

FREQUENCY RESPONSE (1) 48Hz-150Hz ± 3dB -10dB @ 35Hz

DRIVER 12" (300mm)/3" (75mm) voice coil, long excursion, ferrite magnet, waterproof cone

RATED POWER (2) 400W AES, 1600W peak

SENSITIVITY (10) 100dB

MAXIMUM SPL (9) 126dB continuous, 132dB peak (half space)

NOMINAL IMPEDANCE 8Ω

DISPERSION (-6DB) Omnidirectional

CROSSOVER 80-120Hz active

ENCLOSURE 52 litre, Plywood

FINISH Black or white textured paint

PROTECTIVE GRILLE Black or white perforated steel

CONNECTORS 2 x NL4

PIN CONNECTIONS Left to right: Input+, Input-, Link-, Link+

FITTINGS 12 x M10 inserts

DIMENSIONS (W) 487mm x (H) 390mm x (D) 410mm