

## SVS 3000 Micro Piano Gloss White Aktivni vufer

Šifra: 15055

Kategorija proizvoda: Hi-Fi Subwooferi

Proizvođač: SVS

**Cena: 119.880,00 rsd**



Featuring innovations from the reference SVS 16-Ultra subwoofers married to fully active dual opposing 8-inch drivers, and an 800 watt RMS, 2,500 watt Peak Power Sledge STA-800D2 amplifier with discrete MOSFET output, 3000 Micro delivers performance that obliterates every micro subwoofer that has come before. It also features the powerful SVS subwoofer control smartphone app for advanced tuning and DSP. Finally, a micro subwoofer worthy of the name SVS.

Dual opposing 8-inch active drivers designed acoustically and electrically in parallel

800-watt RMS, 2,500-watt peak Sledge STA-800D amplifier with fully discrete MOSFET output

Rear-mounted internal amplifier with Intelligent Control Interface (ICI)

High-end Piano Gloss Black and Piano Gloss White finish options

Screw-in rubber feet

Structurally reinforced MDF cabinet construction

### Fully Active Dual Opposing 8-inch Drivers

#### **Fully Active Dual Opposing 8-inch Drivers**

A first-ever design for SVS, two fully

active 8-inch woofers are mounted on opposite sides of the sealed cabinet and move in perfect unison to generate stunning low frequency output with crisp, musical transients. The usable surface area of two fully-active 8-inch woofers firing in opposite directions achieves performance on par with significantly larger single-driver subwoofers. Its tight, punchy output obliterates multi-driver passive radiator subwoofer designs known for their bloated and boomy

sound.

## Innovative Motor Assembly Sledge STA-800D2 Amplifier

### **Innovative Motor Sledge Assembly STA- 800D2 Amplifier**

An oversized, vented motor structure is optimized for efficient thermal and mechanical energy management in a confined space. Massive electromagnetic force produced by the motor, in symphony with the high current driving power of the Sledge amplifier, allows the Micro to maximize on the output potential of the dual drivers.

An 800 watt RMS, 2,500+ watt peak power Sledge STA-800D2 amplifier that combines the high-current output of discrete MOSFETs with Class D efficiency and the processing power of an Analog Devices DSP. The 3000 Micro subwoofer's amplifier effortlessly produces sustained high-current output for the most difficult low frequency playback without clipping or bottoming

out.  
Convincing,  
high-  
impact  
audio  
experiences  
without  
a trace  
of  
distortion.

<b>Dimensions (including grilles)</b>	10.9" (278mm) H X 11.7" (297mm) W X 10.7" (271mm) D
---	---

<b>Weight:</b>	22.5lbs (10.2kg)
----------------	---------------------

<b>Packaged Dimensions:</b>	13.9" (353mm) H X 15.4" (390mm) W X 15.4" (390mm) D
---------------------------------	---

<b>Packaged Weight:</b>	26.7lbs (12.1kg)
-----------------------------	---------------------