lagge not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

SVS SB-1000PRO Black high gloss Aktivni vufer

Šifra: 15319

Kategorija prozivoda: Hi-Fi Subwooferi

Proizvođač: SVS

Cena: 101.880,00 rsd


SVS-SB-1000PRQ Black high gloss Aktivni vufer

Multiple innovations were deployed in the highexcursion 12-inch SVS SB-1000 Pro driver to ensure massive subwoofer performance from a relatively compact cabinet. Advances to the cone, surround, voice coil, and motor assembly maximize excursion for room-energizing SPLs at the lowest frequencies, with precision and control.

Using reference amplifier technology from the flagship SVS 16-Ultra Series, the SB-1000 Pro features a 325 watts RMS, 820+ watts peak power Sledge STA-325D amplifier with fully discrete MOSFET output. Harnessing the immense power while ensuring tonal accuracy and driver control for more convincing bass effects is a 50 MHz Analog Devices Audio DSP with frequency response precisely tuned for the SB-1000 Pro.

SB-1000 Pro also features the SVS subwoofer smartphone app, the most convenient way to control volume, access multiple DSP functions, and program custom presets. Adjust crossover frequencies, a three-band parametric EQ, polarity, room gain and more, all from your favorite seat.

Rear Panel Intelligent Control Interface (ICI).



| Sledge STA-325D Amplifier - Effortless power with sophisticated control. | | |
|--|---------------------------------|--|
| | | |
| Conservatively rated at 325 watts RMS, 820+ watts peak power, the Sledge STA-325D amplified full potential of the 12-inch driver with effortless power and precise control. The innovacombines the efficiency of a Class D amplifier with the ability to move colossal amounts of the fully discrete MOSFETs for outstanding real-world subwoofer performance at all drive for room, allows easy integration with any home theatre or stereo speaker system. | itive design current through | |
| Driver | 12" | |
| Amplifier | 325 watts RMS (82 | |
| Frequency Response | 20Hz to 270Hz (+/ | |
| Weight | 11.9kg | |

| Dimensions | (H x W x D mm): W |
|------------|-------------------|
| Finishes | High Gloss Black, |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |