

Polk Audio MXT60 Black Podnostojeći Zvučnik

Šifra: 15755

Kategorija proizvoda: Podnostojeći Zvučnici

Proizvođač: Polk audio

Cena: 21.480,00 rsd



DYNAMIC AND ENERGETIC

IMMERSE YOURSELF IN HI-RES SOUND

Monitor XT60 maximizes your enjoyment of music, movies, TV and gaming by immersing you in dynamic, high-resolution sound with crystal clear highs and powerful, effortless bass. Hi-Res Audio and Dolby Atmos Certified, DTS:X compatible, and in a modern, accessibly priced design, the MXT60 tower loudspeaker fulfills the Polk promise of great sound for all.

CRYSTAL CLEAR SOUND

CERTIFIED HI-RES AUDIO PERFORMANCE

Monitor XT60's Terylene dome tweeters enable playback beyond the range of human hearing—up to 40kHz—ensuring an airy, clear, high-end energy and spaciousness that you'll not only hear but feel. MXT60 is perfect for enjoying high resolution movies, gaming or the latest hi-res streaming services like Apple Music, Tidal, Amazon Music HD, Qobuz and Spotify HiFi.

PLENTY OF BOTTOM END

EFFORTLESS BASS

Polk has always been known for speakers that produce effortless bass, the MXT60 is no exception. A beefy 6.5" high-efficiency, Dynamically Balanced woofer enhanced by dual 6.5" passive resonators provides a clean, open mid-range and punchy, responsive bass, with low distortion—making voices and instruments clearly heard and movie soundtracks and music filled with impact.

CRAFTED WITH CARE

BUILT FOR PURE LISTENING

All Monitor XT models are made for the enjoyment of pure sound: Their nickel-plated binding posts guarantee a direct, lossless connection; low-resonance, critically braced, MDF cabinets isolate the sound of the woofer and tweeter without adding unwanted resonances; and their removable, precision-fit grilles minimize sonic interference.

AN IMMERSIVE EXPERIENCE

DOLBY ATMOS CERTIFIED & DTS:X COMPATIBLE

Compatible with the latest Dolby Atmos and DTS:X surround sound enabled AV receivers and 4- & 8-ohm amplifiers, Monitor XT does not require specialized equipment to deliver great sound. Combine the MXT90 height module with the MXT60 to experience new dimensions of 3D sound.

POLK MONITOR XT60

FLOOR STANDING SPEAKER

Qty Included	1
Width	7.5" (19.05cm)
Height	36.4" (92.5cm)
Depth	9.09" (23.08cm)
Weight	20lbs/9.07kg
Driver Complement	<ul style="list-style-type: none">• (1) 1" (2.54 cm) Terylene Dome Tweeter• (1) 6.5" (16.51 cm) Bi-laminate Paper Woofer
Bass Radiators	(2) 6.5" (16.51cm) Passive Bass Radiators
Impedance	Compatible with 4- and 8-ohm outputs
Mounting Type	1/4" 20 Threaded Insert or Keyhole Hanger
Crossover Frequency	2200 Hz
Sensitivity (1 watt @ 1 meter)	86 dB
Total Frequency Response	38Hz → 40,000Hz
Recommended Amplifier Power Per Channel	25 watts → 200 watts
Speaker Inputs	(1) Pair of 5-way nickel plated binding posts