

## Polk Audio MXT60 Black Podnostojeći Zvučnik

Šifra: 15755

Kategorija proizvoda: Podnostojeći Zvučnici

Proizvođač: Polk audio

Cena: **21.480,00** rsd

### DYNAMIC AND ENERGETIC

#### IMMERSE YOURSELF IN HI-RES SOUND

Monitor XT60 maximizes your enjoyment of music, movies, TV and gaming by immersing you in dynamic, high-resolution sound with crystal clear highs and powerful, effortless bass. Hi-Res Audio and Dolby Atmos Certified, DTS:X compatible, and in a modern, accessibly priced design, the MXT60 tower loudspeaker fulfills the Polk promise of great sound for all.

### CRYSTAL CLEAR SOUND

#### CERTIFIED HI-RES AUDIO PERFORMANCE

Monitor XT60's Terylene dome tweeters enable playback beyond the range of human hearing—up to 40kHz—ensuring an airy, clear, high-end energy and spaciousness that you'll not only hear but feel. MXT60 is perfect for enjoying high resolution movies, gaming or the latest hi-res streaming services like Apple Music, Tidal, Amazon Music HD, Qobuz and Spotify HiFi.

### PLENTY OF BOTTOM END

#### EFFORTLESS BASS

Polk has always been known for speakers that produce effortless bass, the MXT60 is no exception. A beefy 6.5" high-efficiency, Dynamically Balanced woofer enhanced by dual 6.5" passive resonators provides a clean, open mid-range and punchy, responsive bass, with low distortion—making voices and instruments clearly heard and movie soundtracks and music filled with impact.

### CRAFTED WITH CARE

#### BUILT FOR PURE LISTENING

All Monitor XT models are made for the enjoyment of pure sound: Their nickel-plated binding posts guarantee a direct, lossless connection; low-resonance, critically braced, MDF cabinets isolate the sound of the woofer and tweeter without adding unwanted resonances; and their removable, precision-fit grilles minimize sonic interference.

### AN IMMERSIVE EXPERIENCE

#### DOLBY ATMOS CERTIFIED & DTS:X COMPATIBLE

Compatible with the latest Dolby Atmos and DTS:X surround sound enabled AV receivers and 4- & 8-ohm amplifiers, Monitor XT does not require specialized equipment to deliver great sound. Combine the MXT90 height module with the MXT60 to experience new dimensions of 3D sound.



## FLOOR STANDING SPEAKER

Qty Included	1
Width	7.5" (19.05cm)
Height	36.4" (92.5cm)
Depth	9.09" (23.08cm)
Weight	20lbs/9.07kg
Driver Complement	<ul style="list-style-type: none"><li>• (1) 1" (2.54 cm) Terylene Dome Tweeter</li><li>• (1) 6.5" (16.51 cm) Bi-laminate Paper Woofer</li></ul>
Bass Radiators	(2) 6.5" (16.51cm) Passive Bass Radiators
Impedance	Compatible with 4- and 8-ohm outputs
Mounting Type	1/4" 20 Threaded Insert or Keyhole Hanger
Crossover Frequency	2200 Hz
Sensitivity (1 watt @ 1 meter)	86 dB
Total Frequency Response	38Hz → 40,000Hz
Recommended Amplifier Power Per Channel	25 watts → 200 watts
Speaker Inputs	(1) Pair of 5-way nickel plated binding posts