

logo not found or type unknown

Firma: Player Plus doo  
Adresa: Svetogorska 9  
Telefon: +381 11 3347 442  
Fax: +381 11 3347 615  
PIB: 106966344  
E-mail: porudzbine@player.rs

SVS Speaker Cable Banana plug 9m

## SVS Speaker Cable Banana plug 9m

Šifra: 16508  
Kategorija proizvoda: Hi-Fi Analogni kablovi  
Proizvođač: SVS

Cena: **10.280,00** rsd

### Product Overview

#### Performance You'd Expect From the World's Finest Speaker Cables, At a Fraction of the Price

Expertly hand-soldered by our craftsmen in Ohio to any length you desire with custom terminations, the SVS SoundPath Ultra Speaker cables pass the full power of any AV receiver or amplifier with high fidelity and no signal degradation. SVS SoundPath Ultra cables use the same fabrication techniques and materials as the finest cables in the world, but cost a fraction of the price.

#### Custom Hand-Soldered Cable Terminations Tailored to Your Needs

Each individual SVS SoundPath Ultra Speaker Cable can be custom terminated with your choice of 24K gold plated brass spades, 24K gold plated beryllium copper banana plugs, or a mix of both if you prefer spades for your speakers, and banana terminals for your amp or AVR.

#### Purity of Sound Starts with Quality of Build Materials

SVS SoundPath Ultra Speaker Cables deliver absolute signal purity no matter what speakers or source components are connected. Each SoundPath Ultra Cable is made with two braided Dual Balanced conductors, with a total of 82 strands of 99.99% pure stranded copper across both conductors. This rating matches up with the best speaker cables in the world and enables SVS SoundPath Ultra Cables to transmit a consistent signal with absolute purity.

#### Innovative Three-layer Insulation System Adds Durability And Enhances Electrical Insulation And Signal Purity

Precision machined and anodized aircraft grade aluminum body.

Finely woven premium cotton braided jacket adds styling and serves as the durable, outermost boundary to protect against physical wear and tear.

A 3-layer shielding system, including 3.2mm and 7.6mm PVC dielectric cores protects each conductor.

Precision machined brass body with electroplating finish for a solid build and substantial feel.

### **SoundPath Ultra Speaker Cable Specs:**

12 AWG (2mm<sup>2</sup>) stranded speaker wire - Each SoundPath Ultra Cable is made with two braided Dual Balanced conductors, with a total of 82 strands of 99.99% pure stranded copper across both conductors.

Precision machined and anodized aircraft grade aluminum body - stylish and durable with a great feel and easy handling.

PVC dielectric joint - Flexible and durable break-out for Positive and Negative terminals.

Rated Bandwidth = DC-5.0 MHz (3M cable) with  $\leq 1.1$   
Voltage Standing Wave Ratio (VSWR) and  $\geq 26$ dB  
Return Loss.

Conductor DCR = 8 m $\Omega$ /meter

Nominal Impedance = 90 $\Omega$  - Cable and connectors are  
impedance-matched to minimize VSWR and Return Loss

Nominal Capacitance = 68pF/meter @ 1kHz

Nominal Cable Diameter: 9mm