

## BRITEQ COB PAR56 100WW Silver

Šifra: 1632  
Kategorija proizvoda: Led Parke  
Proizvođač: BRITEQ

**Cena: 41.400,00 rsd**



High Power  
exhibition

Uses a powerful 100W white COB LED in a classic PAR armature

WW (warm white): 3200K for a warm and cozy atmosphere

LCD-display to select different working modes:

Standalone (master): set  
dimmer + strobe (if  
needed)

Master/slave mode:  
connect several  
projectors together, the  
first projector controls  
the others.

DMX-controlled, 1CH:  
dimmer

DMX-controlled, 2CH:  
dimmer, strobe

Selectable lamp behavior: halogen lamp (slow) or led (fast)

Four dimmer curves: linear, square, inverse square, S-curve

In case of DMX failure you can choose between blackout and freeze mode.

Wide 60° beam angle for uniform output.

The filter frame with the special 25° lens can be used to create a narrower and more powerful beam.

Very low noise fan cooling.

The filter frame can be used to add optional color filters.

Available in Black and Silver polished

<b>General : Powerinput</b>	AC 100 - 240V, 50/60Hz
<b>General : Energy Label</b>	No
<b>General : Color</b>	aluminium
<b>General : Display</b>	LCD
<b>General : IP rating</b>	indoor
<b>Control : Modes</b>	standalone automatic, DMX, Master/Slave
<b>Control : Protocol</b>	DMX
<b>Control : programmable</b>	No
<b>Control : upgradable software</b>	No
<b>Control : minimum DMX channels</b>	1
<b>Control : maximum DMX channels</b>	2
<b>Light : lamp socket</b>	No
<b>Light : lamp</b>	COB
<b>Light : min. color temperature (K)</b>	3200
<b>Light : max. color temperature (K)</b>	3200
<b>Light : CRI</b>	85
<b>Light : colors</b>	White, Warm white
<b>Light : mix colors</b>	No
<b>Light : min. beam angle (°)</b>	60
<b>Light : max. beam angle (°)</b>	60
<b>Light : max. refresh rate (kHz)</b>	3.6
<b>Connections : input</b>	3 pin XLR, Schuko CEE 7/7
<b>Connections : output</b>	3 pin XLR