

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

Project jukebox, Eli Walnut OM5e Gramofon sa ugrađ

Pro-Ject Jukebox E1 Walnut OM5e Gramofon sa ugrađenim pojačalom

Šifra: 17166

Kategorija prozivoda: Gramofoni

Proizvođač: Pro-Ject

Cena: 77.880,00 rsd

Juke Box E1 is a record player, phono stage, BT receiver, line pre-amplifier and power amplifier in one, requiring only a pair of speakers to make a complete system. If you thought that a starter turntable system is complicated to set up, Juke Box E1 proves the contrary. This belt-drive deck offers the fastest possible installation process because it comes pre-adjusted out of the box and offers superb sound quality. Tracking force and anti-skating is pre adjusted for the pre-mounted Ortofon OM 5E cartridge.

The Juke Box Highpower Supply is available optionally. It features up to 50% more peak power output, increasing dynamic and bass response. The true ground connection over a 3 pin power plug can dramatically reduce hum and noise under critical power conditions.

In the box:

Juke Box E1 with Ortofon OM 5E cartridge Remote control incl. batteries Felt mat Dust cover Adapter for 7" singles Power supply Allen key, stylus pressure gauge, gloves

NEW anti-resonant ABS polymer main platter
NEW damped DC motor
NEW electronic speed change
Instant playback with super-easy setup
High contrast display on top
BT and 1 line input
Line output (record player signal only)
Gold plated sockets
Pre-adjusted tracking force & anti-skating force
Ortofon OM5e cartridge, pre-mounted
8.6" aluminium tonearm with sapphire bearings
Belt drive with silicone belt
Special feet for effective decoupling
IR remote control included
Colour: Walnut

NEW reworked tonearm design & new headshell

| Power output | 2 x 50 Wats (4 Ohm) |
|------------------------|--|
| Outputs | Speakers, Line out (fixed, record player signal only), Phono out |
| Inputs | BT, 1x Line (analogue) |
| Speed | 33, 45 (electronic speed change) |
| Principle | Belt drive |
| Speed variance | 33: 0.7% 45: 0.6% |
| Wow & flutter | 33: 0.25% 45: 0.23% |
| Platter | 300mm anti-resonant ABS polymer with feltmat |
| Main bearing | Stainless steel in bronze bushing |
| Tonearm | 8.6" aluminium |
| Effective arm length | 218.5 mm |
| Overhang | 22.0 mm |
| Effective tonearm mass | 7.0 g |
| Included accessory | Power supply, dust cover, remote control, feltmat, singles adapter |
| Power consumption | 110W max |
| Dimensions | 415 x 118 x 334mm (WxHxD) |
| Weight | 5 kg net |

