

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

Built For

audiolab 9000 CD Transport Aluminium Siler

Šifra: 17340

Kategorija prozivoda: CD Plejeri

Proizvođač: Audiolab

Cena: 119.880,00 rsd



Accuracy

Audiolab has designed the 9000CDT to escalate CD playback. Ensuring a smooth experience, a data buffer has been integrated into the optical system to support signal purity. The coaxial output has also been fitted with a differential line driver to achieve a faithful, low-noise signal between accompanying equipment.

Digital Playback

The Audiolab 9000CDT isn't just for CD playback. A USB-A input can be found on the rear of the unit, allowing you to connect external storage devices for instant, hi-res compatible playback. Enjoy formats including MP3, WMA, AAC and WAV, with file navigation displayed on-screen.

Quality Experience

CD reading is reliable, with a low-friction load tray, high-spin-velocity and read-ahead feature helping to play even partially scratched discs. Sharing the uniform 9000 series design, this CDT features a 4.3" colour information and menu display. The aluminium chassis also combats reverberations leaching into your music.

Key Features

Authentic CD experience

Electronic data buffer promotes accurate playback, with read-ahead feature helping to play damaged discs Temperature-compensated crystal oscillator controls uniform master clock signal

Output signal strength is bolstered by differential line driver

Reliable playback thanks to high-velocity disc spin, with low-friction tray and aluminium chassis countering operational reverberations

The transport is mounted in an electromagnetically shielded enclosure

USB-A input for audio playback from external storage devices

Compatible with MP3, WAV, AAC and WMA files formats

Track information available on-screen for both CD and USB sources

4.3-inch colour display available for comprehensive menu navigation

12v trigger link for system integration

What's in the box?

The Audiolab 9000CDT

x1 IEC power cord

x1 Remote control (Requires x2 AAA batteries, not included)

x1 Instruction manual

Dimensions

Product dimensions (W x D x H)
Packaged dimensions (W x D x H)
Net weight
Gross weight
General
General specifications
Design and core technologies
USB storage device audio format
USB storage device file system
Digital output amplitude
Output impedance

Frequency response
Total harmonic distortion (THD)
Sampling rate
Digital outputs
Standby power consumption
Power requirements (according to region)