

## Bowers & Wilkins HTM6 S3 Black Centralni zvučnik

Šifra: 17848

Kategorija proizvoda: Centralni Zvučnici

Proizvođač: Bowers & Wilkins

**Cena: 77.880,00 rsd**



### **Celebrate clarity**

Powerful enough to partner with 603 S3 and compact enough to fit with any piece of furniture, HTM6 S3 brings more realism and accuracy to your home theater experience.

### **Layered, beautiful details**

The new HTM6 S3 introduces our all-new Titanium Dome tweeter, which combines exceptional resolution and insight with smooth, refined high-frequency reproduction. The result? An accurate and immersive insight into your favourite music.

### **Truly amazing sound**

HTM6 S3 introduces our new and even more acoustically transparent tweeter grille mesh, first developed for our revered Signature models. Alongside the new Titanium Dome tweeter, the resolution and realism is exceptional.

### **Precision and transparency**

Thanks to its composite construction, the Continuum cone avoids the abrupt transitions in behavior that can impair the performance of a conventional drive unit. With HTM6 S3, experience a more open, neutral performance that delivers voices and instruments with precision and transparency.

### **Upgraded speaker terminals**

Derived from the speaker terminals recently introduced in our 700 Series range, the speaker terminals on the new HTM6 S3 feature an improved layout and a cleaner signal path between your amplifier and your loudspeakers.

### **600 Series**

The essential loudspeakers for music lovers.

### **Size & weight**

Dimensions

Height: 160 mm  
Width: 480 mm  
Depth: 255 mm  
283 mm (11.2 in)

Net weight

7.7kg (17lb)

## Technical details

Technical features

Decoupled Driver  
Continuum™  
Flowport™

Description

2-way vented

Drive units

1x ø25mm (1 in)  
2x ø130mm (5 in)

Frequency range

-6dB 42Hz - 30kHz

Frequency response

72Hz - 28kHz

Sensitivity

87dB spl (on axis)

Harmonic distortion

2nd and 3rd h  
<1% 100Hz -  
<0.5% 120Hz

Nominal impedance

8Ω (minimum)

Recommended amplifier power	30W - 120W in
Max recommended cable impedance	0.1Ω

**Finishes**

Cabinet finishes	Black
Grille finishes	Black (Black)