

ZOOM H1n-VP - Ručni snimač

One-touch

Šifra: 18236
 Kategorija proizvoda: Snimači/Rekorderi
 Proizvođač: ZOOM

Cena: 11.880,00 rsd



button controls
 1.25" monochrome LCD display

- Intuitive menus for easy operation
- Stereo X/Y 90° microphones handle up to 120 dB SPL
- Stereo 1/8" Mic/Line In mini phone jack
- Stereo 1/8" Phone/Line Output jack with dedicated volume control
- Limiter button for input signal up to 120 dB SPL
- Playback Speed Control, Voice Emphasize Filter, and Stereo Bounce functions
- Auto-Record, Pre-Record, and Self-Timer functions
- Supports up to 24-bit/96 kHz audio in BWF-compliant WAV or a variety of MP3 formats
- Tone generator for filmmaking use with DSLR and video cameras
- Records directly to SD and SDHC cards up to 32 GB
- Micro USB port for data exchange to and from computer and use as an audio interface
- Runs on only 2 standard AAA alkaline, Lithium, or NiMH rechargeable batteries, or AC adapter (AD-17)
- Up to 10 hours of operation with alkaline batteries

Simultaneous playback tracks:	2
Simultaneous recording tracks:	2
Functions:	Lo-cut Filter, Limiter, Test Tone, Slate-Tone, Voice Emphasize Filter, Playback Position Skipping, Playback Speed Control, A-B Repeat, Auto REC Level, Marker, Auto-Record, Pre-Record, Self-Timer, Overdubbing
Recording formats:	WAV: 44.1 kHz/16-bit, 48 kHz/16-bit, 48 kHz/24-bit, 96 kHz/24-bit

A/D conversion:	24-bit, 128x oversampling
D/A conversion:	24-bit, 128x oversampling
Signal processing:	32-bit
Recording media:	microSD/microSDHC cards (Class 4 or higher, up to 32 GB)
Display:	1.25" monochrome LCD (96 × 64)
Built-in stereo mic:	Unidirectional condenser, 90° XY stereo format
	Gain: -∞ dB to +39 dB
	Maximum sound pressure level: 120 dB SPL
Inputs:	1/8" stereo phone jack
	Rated input level: -∞ dB to -39 dBm
	Input impedance: 2 kΩ
	Plug-in power supported (2.5 V)
Built-in speaker:	Built-in 500 mW mono speaker
	Output impedance: 8 Ω
Outputs:	1/8" stereo phone jack (combined line/headphones)
	Rated output level: 20 mW + 20 mW into 32Ω load
	Output impedance: 10 kΩ or more
USB:	Micro USB port
	Mass storage class operation: USB 2.0 high speed
	Audio interface operation: 44.1/48kHz sampling rate, 16-bit depth, 2-in/2-out
	Transfer method: asynchronous
Power requirements:	2 AAA batteries (alkaline, nickel-metal hydride rechargeable, or lithium)
	AC adapter (ZOOM AD-17): DC 5V/1A

	USB bus power
--	---------------

Battery life (alkaline batteries):	Approximately 10 hours
------------------------------------	------------------------

	(continuous recording time using built-in mic, 44.1 kHz/16-bit)
--	---

Dimensions:	1.9 in (W) x 5.4 in (D) x 1.2 in (H)
-------------	--------------------------------------

	50 mm (W) x 137.5 mm (D) x 32 mm (H)
--	--------------------------------------

Weight:	0.13 lbs / 60 g (without batteries)
---------	-------------------------------------