

PRO-JECT X1 B Walnut Pick It PRO B Gramofon sa balansiranim izlazima

Šifra: 18291

Kategorija proizvoda: Gramofoni

Proizvođač: Pro-Ject

Cena: 131.880,00 rsd



True

Balanced

Unleash the full power

Simply upgrade your X1 B to a MC cartridge, connect it with one of our new True Balanced Phono Cables to your phono preamp and benefit from an interference-free signal with increased dynamics & lower noise level.

Mini XLR Output

One cable connects it all

We offer a wide range of balanced phono cables with different connectors to fit all our phono preamps. If you want to use your X1 B with a Phono Box S3 B you need a „Connect it Phono Mini XLR / Mini XLR“.

Balanced

A perfect match!

Pair your X1 B with one of our new balanced Phono Boxes and benefit from a fully balanced signal transmission to your phono preamplifier. Check out our new Phono Box S3 B & DS3 B for further information.

PRO Balanced

NEW Balanced Cartridge

Now with pre-adjusted Pick it PRO Balanced cartridge. (Upgrade offer available to all customers who purchased the X1 B with Pick it S2 MM - contact your dealer!)

X1b Tonearm

8,6" Carbon-Aluminium Tonearm

Finished as a one-piece, with no resonance-inducing headshell, the X1 is available with pre-mounted high quality Pick it S2 MM cartridge. Its superstiff and perfectly damped construction provides a perfect tracking of the record groove.

X1 Motor

Motor suspension

Stainless steel platter-bearing with soft brass bushing and teflon mirrors together with a new motor suspension for better decoupling of the motor vibrations to tonearm and chassis ensure lowest rumble and noise.

Real high-end features.

Azimuth & VTA

Fully adjustable

The X1 comes with fully adjustable Azimuth & VTA. It offers you the possibility to modify your X1 as you want it.

Metal Feet

Damped & height adjustable

The three height adjustable damped aluminium feet guarantee the perfect stand & massively reduce risk of acoustical feedback.

1,5 kg Platter

Resonance free acryl

The perfect platform to place your precious vinyl records, guaranteeing absolute reliability in its performance and sonic character.

33/45/78 RPM

High precision motor control

A sophisticated DC/AC generator board generates clean and stable power to drive the motor. Easily change speed with the push of only a single button.

Speed	33, 45, 78 (electronic speed change)
Principle	belt drive
Speed variance	33: 0.30% 45: 0.25%
Wow & flutter	33: 0.15% 45: 0.13%
Platter	20mm thick, 1.5 kg heavy acryl
Main bearing	stainless steel/brass
Tonearm	8,6" carbon/aluminium sandwich
Effective arm length	218,5 mm
Overhang	18 mm
Effective tonearm mass	10,0g
Tracking force range	0 - 30mN
Included accessories	15volts DC /0,8A power supply, Dust cover, Connect it E Phono cable, feltmat
Power consumption	5,0 watts max /< 0.3 watt standby
Dimensions	415 x 125 x 335 mm (WxHxD)
Weight	7 kg net / 9.5 kg gross weight

