

## Mackie DLM8

Šifra: 18528  
 Kategorija proizvoda: Aktivne Zvučne Kutije  
 Proizvođač: MACKIE

**Cena: 107.880,00 rsd**



Class D

- 2,000W Peak Power
- Generates up to 125dB SPL
- Integrated DL2 Digital Mixer
- Two Flexible Input Channels
- DSP Effects, EQ and Audio Tools
- Common-Magnet Design
- Unpowered Audio Thru Output
- Mounting Options

### PA Speaker

Configuration	Active Full-Range
Total Power Capacity	1000 W RMS 2000 W Peak
Amplifier Power Rating	<b>LF:</b> 500 W RMS 1000 W Peak <b>HF:</b> 500 W RMS 1000 W Peak

Amplifier Class

Class-D

## Drivers

HF Driver

1 x 1.75" / 44 mm Polyimide Compression Driver with 1" / 25 mm Throat

LF Driver

1x 8" / 203 mm Woofer

LF Voice Coil

2" / 51 mm

Magnet

**HF:**  
Ferrite  
**LF:**  
Ferrite

## Performance

Frequency Response

65 Hz to 20 kHz -10 dB

Maximum SPL

125 dB

Coverage Angle

90° H x 90° V

I/O Impedance

**Mic Input:**  
3.3 Kilohms (Balanced)  
**Line Input:**  
20 Kilohms (Balanced)  
10 Kilohms (Unbalanced)  
**1/4" Input:**  
16 Kilohms (Balanced)  
8 Kilohms (Unbalanced)  
**XLR Line Input:**  
20 Kilohms (Balanced)  
10 Kilohms (Unbalanced)  
**Hi-Z Input:**  
1 Megohms (Unbalanced)  
**RCA Input:**  
25 Kilohms (Unbalanced)

Total Harmonic Distortion/Noise

< 1%

## Connectivity

Audio I/O

1x Combo XLR-1/4" TRS Mic/Line Input  
1x Combo XLR-1/4" TRS Mic Input  
1x Stereo RCA Input  
1x XLR 3-Pin Thru/Output

## Signal Processing

Crossover

1.6 kHz

EQ

**LF Shelf:**  
±15 dB at 80 Hz  
**MF Notch/Peak:**  
±15 dB at 2.5 kHz  
**HF Shelf:**  
±15 dB at 12 kHz

Alignment Delay

0 to 300 ms

## Power

AC Input Power

100 to 120 VAC, 50 / 60 Hz  
220 to 240 VAC, 50 / 60 Hz

AC Power I/O

1x IEC

Power Consumption

250 W

## Physical

Mounting

1 x Pole Socket  
3 x M10

Handles

1x Top

Cooling

Fan (Variable Speed)

Construction Material

ABS, Metal Grille

Operating Temperature

32 to 104°F / 0 to 40°C

Dimensions

12.3 x 12.1 x 11.9" / 313 x 307 x 302 mm

Weight

22 lb / 10 kg

### Packaging Info

Package Weight

28 lb

Box Dimensions (LxWxH)

16.5 x 16 x 16"