

LD Systems U305 IEM HP - In Ear monitoring

## LD Systems U305 IEM HP - In Ear monitoring

---

Šifra: 18981

Kategorija proizvoda: In Ear Monitoring

Proizvođač: LD Systems

Cena: **32.280,00** rsd

Frequency range: 584 - 608 MHz

Weight: 1,51 kg

## LD Systems IEHP 1 Professional In-Ear Headphones black

**Frequency response:** 30 - 20.000

**Impedance:** 16 Ohm(s)

**Connection type:** 3.5 mm TRS

**Cable length:** 1.5 m

**Weight:** 0,088 kg

## LD Systems U305 IEM T Transmitter

**Transmission frequency range:** 584 - 608 MHz

**Channels:** 12

**Frequency response:** 50 - 16.000

**Transmission method:** FM, mono/stereo

**Modes of operation:** FM, mono/stereo, mono/stereo

**Rated HF output power:** 10 mW

**Total Harmonic Distortion (THD):** <0,5%

**Signal-to-noise ratio:** 90 dB

**Dynamic range:** 88 dB

**Antenna connector:** BNC

**Inputs:** 2

**Controls:** input level, Mono/stereo switch, Power On/Off

**Input connectors:** 6.3 mm jack, XLR

**Weight:** 0,66 kg

**Input impedance (kOhms):** 8.5 kOhm

**Indicators:** LC display

**Input sensitivity:** -4.5 dbu

**Power supply:** 12 - 18 V DC

**Width:** 212 mm

**Height:** 43 mm

**Depth:** 123 mm

**Power consumption:** 1.7 W

**Accessories (included):** 19" Rack mount kit, BNC-Antenna, Power supply

## **LD Systems U305 IEM R Receiver**

**Transmission frequency range:** 584 - 608 MHz

**Channels:** 12

**Frequency response:** 50 - 16.000

**Transmission method:** FM, mono/stereo

**Total Harmonic Distortion (THD):** 0.25 %

**Audio output:** 3.5 mm TRS

**Minimum connected impedance:** 16 Ohm(s)

**Max. audio output level:** 100 (@ 16 Ohms load capacity) mW, 73 (@ 33 Ohms load capacity) mW

**Antenna connector:** Fixed to housing

**Controls:** Channel down, Channel up, On/off switch, volume control

**Weight:** 0,085 kg

**Indicators:** LC display, RF (LED)

**Power supply:** 2 x 1.5 V AA

**Operating time:** < 10 hours

**Width:** 64 mm

**Height:** 103 mm

**Depth:** 24 mm

**Features:** battery status LED, incl. batteries

