

LD Systems U305 IEM HP - In Ear monitoring

LD Systems U305 IEM HP - In Ear monitoring

Šifra: 18981

Kategorija proizvoda: In Ear Monitoring

Proizvođač: LD Systems

Cena: **32.280,00** rsd

Frequency range: 584 - 608 MHz

Weight: 1,51 kg

LD Systems IEHP 1 Professional In-Ear Headphones black

Frequency response: 30 - 20.000

Impedance: 16 Ohm(s)

Connection type: 3.5 mm TRS

Cable length: 1.5 m

Weight: 0,088 kg

LD Systems U305 IEM T Transmitter

Transmission frequency range: 584 - 608 MHz

Channels: 12

Frequency response: 50 - 16.000

Transmission method: FM, mono/stereo

Modes of operation: FM, mono/stereo, mono/stereo

Rated HF output power: 10 mW

Total Harmonic Distortion (THD): <0,5%

Signal-to-noise ratio: 90 dB

Dynamic range: 88 dB

Antenna connector: BNC

Inputs: 2

Controls: input level, Mono/stereo switch, Power On/Off

Input connectors: 6.3 mm jack, XLR

Weight: 0,66 kg

Input impedance (kOhms): 8.5 kOhm

Indicators: LC display

Input sensitivity: -4.5 dbu

Power supply: 12 - 18 V DC

Width: 212 mm

Height: 43 mm

Depth: 123 mm

Power consumption: 1.7 W

Accessories (included): 19" Rack mount kit, BNC-Antenna, Power supply

LD Systems U305 IEM R Receiver

Transmission frequency range: 584 - 608 MHz

Channels: 12

Frequency response: 50 - 16.000

Transmission method: FM, mono/stereo

Total Harmonic Distortion (THD): 0.25 %

Audio output: 3.5 mm TRS

Minimum connected impedance: 16 Ohm(s)

Max. audio output level: 100 (@ 16 Ohms load capacity) mW, 73 (@ 33 Ohms load capacity) mW

Antenna connector: Fixed to housing

Controls: Channel down, Channel up, On/off switch, volume control

Weight: 0,085 kg

Indicators: LC display, RF (LED)

Power supply: 2 x 1.5 V AA

Operating time: < 10 hours

Width: 64 mm

Height: 103 mm

Depth: 24 mm

Features: battery status LED, incl. batteries

