

Neutrik NL4MMX Image not found or type unknown

## Neutrik NL4MMX

---

Šifra: 2320


Kategorija proizvoda: Konektori

Proizvođač: Neutrik

Cena: **900,00** rsd

### Neutrik // NL4MMX -Speakon Cable To Cable Adapter 4-Pole

4 pole lockable coupler, links two NL2/4F\*s together for cable extension. Can be permanently attached to NL2/4F\*.









**Product**

Gender male

**Electrical**

Contact resistance  $\leq 3 \text{ m}\Omega$  (after lifetime)

Dielectric strength 4 kVdc (peak)

Insulation resistance  $> 1 \text{ G}\Omega$  (after dampheat)

Rated current per contact 15 A rms continuous

Rated current per contact 30 A audiosignal, duty cycle 50 %

Rated voltage 250 V (Insulation)

Attention speakON is NOT to be used as an AC mains connector!

**Mechanical**

Lifetime  $> 5000$  mating cycles

Locking device Quick Lock

**Material**

Contact plating 4  $\mu\text{m}$  Ag

Contacts Bronze (CuSn6)

Insert Polyamide (PA 6 30 % GR)

Shell Polyamide (PA 6 30 % GR)

**Environmental**

Flammability UL 94 HB

Solderability Complies with IEC 68-2-20

Temperature range  $-30 \text{ }^\circ\text{C}$  to  $+80 \text{ }^\circ\text{C}$

