

PR LIGHTING XLED 336 - Roto glava

Šifra: 8988
Kategorija proizvoda: Roto Glave
Proizvođač: PR LIGHTING

Cena: 88.680,00 rsd

XLED 336



**XLED
336
PR-
8110**
The
XLED
336 is
a

remarkably small, size, and low power consumption with an amazingly bright beam. It

features rapid and quiet movement, ideal for entertainment and decorative lighting design.

Product Video

Key Features:

OSRAM OSOLON 3W (12R+12G+12B)

An light output close to 250W discharge lamp

Field Angle 17°, Beam Angle 8°(without Frost Board)

Lens Angle 8°

Electronic strobe: 0-20 F.P.S

Pan 540° Tilt 270° with auto position correction. Pan and Tilt Swap and Invert Function.

Fixture usage time display

Modular structure for easy maintenance

90-264V AC 50/60Hz (140W@220V)

RGB colour mixing + linear CTO 2,700~10,000K

Field Angle 32°, Beam Angle 16°(with Frost Board)

0-100% linearly adjustable dimmer

Channels: Standard mode: 12, Extended mode: 16

DMX 512, Master/slave mode, Stand-alone mode, Built-in mode

Software version display

IP20; net weight: 4.2Kg

Standard Accessories:

G clamps, 1pc; 5-pin XLR connectors, 1 set

Safety cord, 1 pc; FROST BOARD, 1 pc

Optional Accessories: Ω clamps, 1pc

Light Source:

OSRAM OSOLON 3W

Power Supply:

100-240V AC,50/60Hz (140W@220V)

Color System:

RGB color mixing system

Lens Angle: 8°

Field Angle 17°, Beam Angle 8°(without Frost Board)

Field Angle 32°, Beam Angle 16°(with Frost Board)

Dimmer:

0~100% linearly adjustable

Electronic Strobe:

0~20 F.P.S

Channels:

Standard Mode : 12, Extended Mode : 16

Head Movement:

Pan 540°, Tilt 270°, with auto position correction

Pan and Tilt Swap and Invert Function

Working Ambient Temperature:

-20°C~40°C

Waterproof Rating: IP20

Net Weight: 4.2Kg

Package Dimensions:

Carton/Flight Case: 315x285x265(mm)/ 1225x555x436(mm)

Packed Quantity: 1PC/Carton or 8PCS/Flight Case

Size:

Image not found or type unknown


**Light Output:**

Image not found or type unknown




Image not found or type unknown




Image not found or type unknown

